



Barry-Eaton District Health Department

An Accredited Public Health Agency

www.barryeatonhealth.org

BODY ART FACILITY PLAN REVIEW

Date: _____

Type of Facility: (circle one) Permanent Temporary/Special Event

Are you a: (circle one) New Facility Existing Facility

Existing with new ownership Existing remodel

Name of Facility: _____ Phone _____

Fax _____

Address of Facility: _____

Name of Operator (owner): _____ Phone _____

Fax _____

Address of Operator (owner): _____

Number of Technician Stations _____

Square Feet /Station _____

Total Square Feet of Facility _____

IF OPENING A NEW FACILITY OR REMODELING CURRENT ONE:

Date Construction will begin: _____

Date of Planned Opening: _____

New Facility Name: _____

Day(s) of Operation S M T W TH F SA By appointment: Y N

Hours of Operation _____ to _____

Number of body artists is the facility designed for _____

Number of body artists working in the facility at opening _____

Type of services provided _____

Caring for the Community since the 1930s

Barry County Office: 330 W. Woodlawn Ave, Hastings MI 49058 ~ Phone: 269-945-9516 ~ Fax: 269-818-0237
Eaton County Office: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2430 ~ Fax: 517-543-7737
Eaton Substance Abuse Program: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2580 ~ Fax: 517-543-8191

What to Submit with your Application:

- 1) A floor plan showing the sizes (with measurements) of different areas of the facility and the location of *all* equipment. This includes small things such as waste receptacles and sharps containers (see below).
- 2) A lighting plan that shows the location of all light fixtures and that provides detail on how the lights will be protected/shielded.
- 3) If the building is new construction (or if major modifications will be made to existing plumbing), a plumbing plan showing both hot and cold water lines and all fixtures.
- 4) A list of finishes for the floors, walls, and ceilings of all of the different areas of the facility (procedure area, waiting area, cleaning area, bathroom, etc.).
- 5) Equipment Specifications including type, manufacturer, dimensions, model number, performance capacity and installation details (see below).
- 6) New facilities only: A site plan that shows the location of outdoor waste disposal containers, onsite wastewater system, and onsite water supply (if applicable).
- 7) New facilities only: A copy of the aftercare instructions that you will provide to clients.
- 8) New facilities only: A copy of the client record/consent form that you will use, including the client health questionnaire.
- 9) New facilities only: The facility record.
- 10) New facilities only: Standard Operating Procedures – this is a written step-by-step description of your body art procedure(s) and your cleaning/sterilizing procedures. The description of the body art procedure should include everything from set-up to tear-down and disinfection.

Caring for the Community since the 1930s

Barry County Office: 330 W. Woodlawn Ave, Hastings MI 49058 ~ Phone: 269-945-9516 ~ Fax: 269-818-0237
Eaton County Office: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2430 ~ Fax: 517-543-7737
Eaton Substance Abuse Program: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2580 ~ Fax: 517-543-8191

Facility Requirements

- 1.1. All body art facilities shall be completely separated by solid partitions or by walls extending from floor to ceiling, from any room used for human habitation or any activity that may cause potential contamination of work surfaces.
- 1.2. The body art facility shall have self-closing doors and windows equipped with screens in good repair if the windows are intended to be used for ventilation.
- 1.3. Body art procedure areas shall be separated from the customer waiting area/retail area by a panel or wall at least four feet high.
- 1.4. There shall be a minimum of 45 square feet of floor space for each body art technician's body art procedure area in the facility.
- 1.5. All walls and floors of a body art facility shall be smooth, free of open holes or cracks, washable and in good repair. Walls, floors and ceilings shall be maintained in a clean condition.
- 1.6. All procedure surfaces in the body art procedure area, including client chairs, tables, benches, and counters shall be smooth, free of open holes or cracks, washable and in good repair. All procedure surfaces, including client chairs, tables, benches, and counters shall be of such construction as to be easily cleaned and disinfected after each use/between clients.
- 1.7. The facility shall be well-ventilated and provided with an artificial light source equivalent to at least 20 foot candles three feet off the floor, except that 100 foot candles shall be provided at the level where the body art procedures are being performed, and where instruments and sharps are handled/assembled. Spot lighting may be utilized to achieve this required degree of illumination for the purpose of conducting body art procedures.
- 1.8. A separate, hand washing facility comprised of a sink with warm running, water under pressure, preferably equipped with wrist or foot-operated controls and supplied with liquid soap and disposable paper towels shall be readily accessible within the body art facility. There shall be a covered waste receptacle by each sink for the disposal of paper towels. One hand sink shall serve no more than three body art technicians.
- 1.9. There shall be a minimum of one lavatory with a toilet and a separate sink in a body art facility.
- 1.10. A body art facility shall have a separate room or area for the sole purpose of cleaning, disinfecting and sterilizing. This area shall be separated from the remainder of the facility by a minimum of a wall or partition and shall be an area that does not allow client access. The cleaning, disinfecting, and sterilizing area shall be organized to prevent cross-contamination of clean, disinfected or sterile equipment with dirty equipment.
- 1.11. All sinks in the body art facility shall only be used for their designated purpose.

Caring for the Community since the 1930s

- 1.12. All chemical or cleaning supply containers shall be properly labeled.
- 1.13. At least one covered waste receptacle shall be provided in each body art procedure area and each toilet room. Each receptacle shall have a lid and the lid shall be kept closed at all times. Waste receptacles in the body art procedure area(s) shall be emptied daily and solid waste shall be removed from the premises at least weekly. All waste receptacles shall be cleanable and kept clean, and capable of being disinfected.
- 1.14. Sharps disposal containers shall be made available at places as close as feasibly possible to any area where needles and sharps are used.
 - 1.14.1. These containers must be hard, puncture-resistant, leak-proof containers specifically designed for the storage of sharps.
 - 1.14.2. They must be labeled with the universal biohazard symbol or color-coded.
 - 1.14.3. They must be maintained in an upright position, and replaced frequently to avoid over-filling.
 - 1.14.4. When moving sharps' containers, the containers must be closed. If leakage is possible, they must be placed in a second container that will contain all contents, prevent leakage, and labeled with the universal biohazard symbol or be color-coded.
 - 1.14.5. Sharps' containers must be changed, at a minimum, 90 days after the date of first use.
- 1.15. No animals of any kind shall be allowed in the body art facility except service animals used by persons with disabilities (e.g., seeing-eye dogs). Fish aquariums shall be allowed in waiting rooms and non-procedural areas.
- 1.16. Effective measures shall be taken by the owner or operator of the body art facility to protect against entrance into the facility and against the breeding or presence on the premises of insects, vermin, and rodents. Insects, vermin, and rodents shall not be present in any parts of the Facility.
- 1.17. For new body art facilities and for body art facilities undergoing renovation, an 8 ½ X 11 or larger scale drawing and floor plan of the proposed facility or the proposed renovation of the facility shall be submitted to the local health department responsible for body art facility inspection for the jurisdiction in which the body art facility will be/is located. This drawing shall show the accurate placement of each of the following items: walls, windows, doors, waiting area, procedure area(s), bathroom(s), cleaning, disinfection, and sterilization area, equipment/instrument storage area(s) chairs, tables, and sinks. This scale drawing and floor plan shall be submitted at least 60 days before the proposed opening/planned renovation. A pre-opening inspection of the premises will be required before body art services can be performed in this new facility/renovated area.
- 1.18. Requirements for Body Art Facilities does not relieve the owner/operator of a licensed body art facility from the responsibility for securing a local permit or complying with applicable local codes, regulations, or ordinances that are in addition to the Requirements for Body Art Facilities.

Caring for the Community since the 1930s

1.18.1. Water supply; plumbing.

(1) The water system shall comply with the requirements of the local health authority.

(2) Plumbing shall be designed, constructed, installed, and maintained to prevent cross-connection with the water system.

(3) Sinks, lavatories, drinking fountains, and other water outlets shall be supplied with safe water, sufficient in quantity and pressure, to meet conditions of peak demand.

1.18.2. Sewage disposal.

(1) Sewage and other water-carried wastes shall be disposed of through a municipal or private sewer system.

(2) Private sewer/septic systems shall be designed and operated to safely dispose of all wastewater generated, shall be adequate in size for the projected use and meet the criteria of the environmental health department.

Equipment Specifications


Submit equipment specification sheets, including make and model numbers of the equipment. Make certain that you include all equipment that will come into contact with the client, as well as all equipment that will be used for cleaning and sterilizing. If the specification sheet lists more than one piece of equipment, identify the specific equipment to be used. If there is no specification sheet available, the equipment will only be accepted upon a field inspection to determine if it meets commercial design criteria. *(Please attach additional pages as necessary.)*

EQUIPMENT	MAKE AND MODEL	SPECIFICATIONS

Caring for the Community since the 1930s

Barry County Office: 330 W. Woodlawn Ave, Hastings MI 49058 ~ Phone: 269-945-9516 ~ Fax: 269-818-0237
Eaton County Office: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2430 ~ Fax: 517-543-7737
Eaton Substance Abuse Program: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2580 ~ Fax: 517-543-8191

Floor Plan



BODY ART FACILITY FLOOR PLAN & EQUIPMENT LAYOUT Scale $\frac{1}{4}$ " = 1 foot
(If other scale, notify: _____)

BODY ART FACILITY _____

Submitted by: _____

Caring for the Community since the 1930s

*Barry County Office: 330 W. Woodlawn Ave, Hastings MI 49058 ~ Phone: 269-945-9516 ~ Fax: 269-818-0237
Eaton County Office: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2430 ~ Fax: 517-543-7737
Eaton Substance Abuse Program: 1033 Health Care Dr., Charlotte, MI 48813 ~ Phone: 517-543-2580 ~ Fax: 517-543-8191*